Tender Document

1. List of Goods and Related Services

S.N.	Classification	Price	Quantity	Total Price
1	64 Channel NVR for Camera Recording 8 SATA		3	Total Frice
2	Surveillance Hard Disk Drive 8 TB		6	
3	43 Inch UHD Surveillance Monitor Monitor with Wall mount			
4	43 Inch HD Monitor For NVR with Wall mount		3	
5	24 Port Gigabit switch		1	*
6	6 Port PDU(Branded)		1	
7	18U deep floor Rack for NVR(Branded)	A	3	
8	Monitoring Room Access Control Set		1	
9	Installation and configuration charge including Required HDMI cable, Patch cable and accessories for NVR setup-and Access control Setup		3	
	Total			
	13% VAT			
	Grand Total			

Note: NVR, Switch, Access control and surveillance monitor must be from the same OEM to ensure seamless operation within a single VMS. Please provide Datasheet to confirm the technical Specification.

2. Delivery and Completion Schedule

The Supplier shall deliver the listed goods and complete the related services within sixty (60) calendar days from the date of contract signing, unless otherwise mutually agreed in writing.

To ensure timely commencement of the project, the Purchaser kindly requests:

At least one (1) unit of the major equipment (such as NVR, Monitor, or Access Control Set) to be delivered within seven (7) days from contract signing, for initial setup and verification purposes. Priority may be given to stock availability.



3. Technical Specifications

The following minimum technical specifications shall be fulfilled by the bidder:

Specification NO. 1: 64 Channel NVR:

S.N	Minimum Requirements			
1	Make : (Must be Full Member of ONVIF)			
2	Model:			
3	Recording Resolution: Upto 32 MP			
4	Channel : 64 Channel Video input			
5	Incoming Bandwidth: 384 Mbps or better			
6	Outgoing Bandwidth: 256 Mbps Mbps or better			
7	Video compression : H.265+ Compression			
8	Display output :2HDMI and 2 VGA			
9	HDMI Resolution: 8K (7680 × 4320)/30Hz			
10	Synchrnous Playback; 16 Channels or above			
11	Decoding Capacity:2-ch@32 MP (30 fps) + 2-ch@8 MP (30 fps)/10-ch@8 MP (30 fps)/20-ch@4 MP (30			
12	fps)/40-ch@1080p (30 fps)			
12	Audio : Supported recording and playback			
13	Ports :Serial Interface 1 RS-485 (full-duplex), 1 RS-232, eSATA :1 eSATA interface			
13	Alarm: In/Out 16/9			
	USB Interface Front panel: 2 × USB 2.0; Rear panel: 2 × USB 3.0			
14	SATA Port: 8 SATA			
15	SATA Port Capacity : Upto 16TB Each			
16	RAID Type: Supports RAID 0, 1, 5, 6, 10 and N+M hot spare			
17	Mobile Phone Access: Android, iOS			
18	Smart Function: Support multiple VCA (Video Content Analytics) events, Configurable special camera smart functions, such as VCA detection (motion, line crossing, intrusion, etc.) and ANPR			
19	Multi-Channel record Playback : Yes			
20	Power Supply :100 to 240 VAC, 50 to 60 Hz			
21	Network Proctocol: TCP/IP,DHCP,Cloud p2p,DNS,DDNS,NTP,SMTP,NFS,Iscsi,upNp,HTTP			
22	External Ports: 2 X USB 2.0, 1 X RJ-45 10/100/1000M Ethernet Port			
23	Certification: FCC, CE			
24	The Supplier shall be fully responsible for the complete installation, configuration, testing, commissioning, and basic operational training of all supplied equipment and systems.			
25	Warranty: 1 Year			
	1. Manufacturer's Authorization Letter: All the technical parameters should be confirmed by			
	the Original Manufacturer on their duly signed compliance sheet on their letterhead for this project.			
26	2. The bidder must provide at least one certified professional holding valid certifications in			
	CCTV Systems, Video Management Systems (VMS), and Surveillance. Each certificate must			
1	clearly state the certificate number, the name of the certified professional, and the			
	commitment letter to confirm the professional's availability for project support. Copies of all			

commitment letter to confirm the professional's availability for project support certificates along with the professional's CV must be submitted with the bid.

Cification NO. 2: 43 inch Surveillance Monitor: Minimum Requirements Model: Screen Size: 43 inch Resolution: Ultra HD 3840 ×2160 @60 Hz.
Screen Size: 43 inch
Resolution: Ultra HD 3840 ×2160 @60 Hz.
Wide viewing angle: Horizontal 178°, Vertical 178°.
Ultra-thin device body with ultra-thin border for 3 sides.
Build-in speaker, Audio 10W*2
3D noise reduction: yes
Low blue light design for eye care.
Support VESA wall mount.
Backlight: D-LED
Pixel Pitch :0.2451 (H) × 0.2451 (V) mm
Brightness:300 cd/m2
Contrast Ratio 4000 : 1
Response Time 6.5 ms (typ)
Bezel Width 0.04 inch (top/left/right) , 0.94 inch (bottom)
Refresh Rate 60 Hz
Haze 25%
Color Gamut 72% NTSC
Reliability 7 * 24H
Video & Audio Input HDMI \times 1, DP \times 1, VGA \times 1, LINE IN \times 1
Video & Audio Output Speaker OUT × 2 (8Ω 10W)
Control Interface RS232-IN × 1, RS232-OUT × 1
Power Consumption ≤ 80W
The Supplier shall be fully responsible for the complete installation, configuration, testing,
commissioning, and basic operational training of all supplied equipment and systems.
Warranty : 1 Year
1. Manufacturer's Authorization Letter: All the technical parameters should be confirmed by
the Original Manufacturer on their duly signed compliance sheet on their letterhead for this
project.
2. The bidder must provide at least one certified professional holding valid certifications in
CCTV Systems, Video Management Systems (VMS), and Surveillance. Each certificate must
clearly state the certificate number, the name of the certified professional, and the
commitment letter to confirm the professional's availability for project support. Copies of all certificates along with the professional's CV must be submitted with the bid.

Tana)

SN	Category	Specification		
	Model:	- Pestiloution		
1	System	Operating System: Linux		
2	Display	Dimensions: 4.3-inchResolution touch screen		
3	Video	2 MPLens: ×2Video Standard: PAL (Default) / NTSC		
4	Network	Wired Network: 10 M/100 M self-adaptiveWi-Fi: Support		
5	Interface	PoE: IEEE802.3at, standard PoENetwork Interface: 1RS-485: 1Wiegand: 1Lock Output: 1Exit Button: 1Door Contact Input: 1TAMPER: 1USB: 1		
6	Capacity	Card Capacity: 3,000Face Capacity: 1,500Fingerprint Capacity: 3,000Event Capacity: 150,000		
7	Authentication	Card Type: EM1 cardCard Reading Frequency: Recognition Duration: <0.2 sFace Recognition Accuracy Rate: >99%Face Recognition Distance: 0.3 to 1.5 mFingerprint Recognition Duration: <1 s		
8	Function	Face Anti-Spoofing: SupportAudio Prompt: SupportTime Synchronization: Support Compatable with DOIT Software		
9	Power Supply	Power Input: Power interface (adapter included, 12 VDC/1 A) or PoE (37–57 VDC/0.6		
10	Warranty	1 Year		
11	Criteria	 Manufacturer's Authorization Letter: All the technical parameters should be confirmed by the Original Manufacturer on their duly signed compliance sheet on their letterhead for this project. The bidder must provide at least one certified professional holding valid certifications in CCTV Systems, Video Management Systems (VMS), and Surveillance. Each certificate must clearly state the certificate number, the name of the certified professional, and the commitment letter to confirm the professional's availability for project support. Copies of all certificates along with the professional's CV must be submitted with the bid. 		

SN Category		Specification	
1	Model		
2	Interface Speed	SATA	
3	Capacity	8TB	
4	Interface Speed	6.0 Gb/s, 3.0 Gb/s, 1.5 Gb/s	
5	Rotation Speed	7200 rpm	
6	Buffer Size	256 MB	
7	Maximum Data Transfer Speed	220 MB/s	
8	Supply Voltage	Allowable Voltage: 12 V ± 10%, 5 V ± 5%	



.

9	Power Consumption	Operating (Typ.): 8.08 WActive idle (Typ.): 4.16 WStandby (Typ.): 0.43 W
10	Acoustics (Sound Power)	Low Power Idle (Typ.): 31 dB
11	Ambient Temperature	Operating: 5 °C to 55 °CNon-Operating: -40 °C to 70 °C
12	Shock	Operating: 490 m/s² (50 G, 2 ms)Non-Operating: 1960 m/s² (200 G, 2 ms)
13	Vibration	Operating: 7.35 m/s² (0.75 G, 5–300 Hz)2.45 m/s² (0.25 G, 300–500 Hz)Non-Operating: 29.4 m/s² (3.0 G, 5–500 Hz)
14	MTTF / AFR	2,000,000 hours / 0.44%
15	Non-recoverable Error Rate	10 errors per 10 ¹⁶ bits read
16	Load / Unload	600,000 times
17	Availability	24 hours/day, 7 days/week
18	Warranty	1 Year
19	Criteria	1. Manufacturer's Authorization Letter: All the technical parameters should be confirmed by the Original Manufacturer on their duly signed compliance sheet on their letterhead for this project. 2. The bidder must provide at least one certified professional holding valid certifications in CCTV Systems, Video Management Systems (VMS), and Surveillance. Each certificate must clearly state the certificate number, the name of the certified professional, and the commitment letter to confirm the professional's availability for project support. Copies of all certificates along with the professional's CV must be submitted with the bid.

S.N	cation No. 5: Gigabit Network Switch (16 Ports) Minimum Requirements (Specifications)	
1	Ports	16*10/100/1000 Mbps Adaptive Ethernet ports
2	Device Type	Switch -16 Ports- Unmanaged
3	Switching capacity	32Gbps
4	Packet forwarding rate	23 Mbps or more
5	Internal cache	more then 4 Mbits
6	MAC Address Table Size	8K
7	Voltage Required	100-240V AC /50-60 Hz universal input
8	Localization	English
9	Performance	Switching capacity: 16Gbps
10	Warranty:	1 Year Warranty.

(Jua)

11	Criteria	 Manufacturer's Authorization Letter: All the technical parameters should be confirmed by the Original Manufacturer on their duly signed compliance sheet on their letterhead for this project. The bidder must provide at least one certified professional holding valid certifications in CCTV Systems, Video Management Systems (VMS), and Surveillance. Each certificate must clearly state the certificate number, the name of the certified professional, and the commitment letter to confirm the professional's availability for project support. Copies of all certificates along with the professional's CV must be submitted with the bid.
----	----------	---

Spe	Specification NO. 6: 43 inch Monitor:		
S.N	Minimum Requirements		
1	Model:		
2	Screen Size: 43 inch		
3	Resolution: Full HD (1920 × 1080 pixels) or higher		
4	Panel Type: LED / LCD		
5	Aspect Ratio: 16:9		
6	Refresh Rate: 60 Hz		
	Audio:		
7	Output: 16W–20W (typical) stereo speakers		
	Sound Modes: Standard / Music / Movie / News		
8	Energy Saving Mode		
9	Port: HDMI 2 Ports minimum, USB 1 Port Minimum		
10	The Supplier shall be fully responsible for the complete installation, configuration, testing, commissioning, and basic operational training of all supplied equipment and systems.		
11	Warranty: 1 Year		

Specification NO. 7: 43 inch Monitor:		
S.N	Minimum Requirements	
1	Model:	
2	Screen Size: 43 inch	
3	Resolution: Full HD (1920 × 1080 pixels) or higher	
4	Panel Type: LED / LCD	
5	Aspect Ratio: 16:9	
6	Refresh Rate: 60 Hz	
7	Audio: Output: 16W–20W (typical) stereo speakers Sound Modes: Standard / Music / Movie / News	





8	Energy Saving Mode		
9	Port: HDMI 2 Ports minimum, USB 1 Port Minimum		
10	The Supplier shall be fully responsible for the complete installation, configuration, testing, commissioning, and basic operational training of all supplied equipment and systems.		
11	Warranty: 1 Year		

4. Terms and Conditions

- 1. The bidder must be a legally registered company/firm with valid registration documents.
- 2. The bidder must submit a copy of PAN/VAT registration certificate along with the bid.
- 3. The quoted price shall be in NPR (Nepalese Rupees) and inclusive of all applicable taxes, duties, and delivery charges.
- 4. The supplier shall provide at least one year of comprehensive warranty commitment letter for all supplied equipment.
- 5. The supplier must ensure proper installation, configuration, testing, and commissioning of the supplied equipment.
- 6. The bidder shall submit brochures/datasheets of the quoted items along with the bid for verification of specifications.
- 7. Payment shall be made after successful delivery, installation, and acceptance of goods and services by the Purchaser.
- 8. In case of delay in delivery or non-compliance with specifications, the Purchaser reserves the right to impose penalties or cancel the contract.
- 9. The supplier shall provide necessary training to the Purchaser's staff for operation and basic troubleshooting of the supplied system.
- 10. Any dispute arising out of this procurement process shall be settled as per the prevailing laws of Nepal.
- 11. The Purchaser reserves the right to accept or reject any bid, wholly or partly, without assigning any reason whatsoever.

